

General Index of *Taiwania* Volume 40 (1995)

The general index includes three separate subindexes: an index to authors, an index to subjects and an index to scientific names.

Index to Authors

Ashrafunnisa 391
Chen, Po-Huei 419
Chen, Yung-Reui 173, 291
Chen, Yiu-Mei 21
Chen, Chia-Jui 69
Chen, Kuei-Yu 127
Chen, Zuei-Ching 127
Chen, Yih-Ming 183
Chiang, Young-Meng 193
Chung, Chao-Hsuan 151, 375
Hsiao, Li-Chin 299
Hsieh, Chang-Fu 381
Hsieh, Tsung-Hsin 13, 35, 91,
 157, 381, 385
Hsieh, Kim-Leong 73
Hsieh, Jaw-Shu 73
Hsieh, Chyong-Ere 121
Hsing, Yue-Ie C. 73
Hsu, Jen-Chieh 83
Huang, Shing-Fan 91, 385
Huang, Tseng-Chieng 13, 35, 91,
 157, 209, 317, 385
Huang, Chi-Ying 21
Huang, Yih-Ching 73
Huang-Kuo, Ling-Long 139
Huber, D. M. 202
Hung, Li-Fen 139
Hwang, Guan-Bor 1
Jeng, Shih-Tong 403
Kimbrough James W. 359
Kuo, Warren H. J. 419
Kuoh, Chang-Sheng 299
Lai, I-Ling 381

Liao, You-Di 183
Lin, Tzer-Tong 353
Lin, Chu-Yung 183
Liou, Yu-Ligh 183
Liu, Chin-Hui 375
Liu, Ho-Yih 256
Lu, Sheng-You 353
Lu, Yih-Kuang 83
Pan, Shu-Mei 1
Pullaiah, T 391
Shaw, Cheng-Long 57, 317
Shih, Bing-Ling 256
Tsai, Chia-Yin 202
Tsay, Ching-Chien 173
Tso, Sih-Chia 291
Wang, Jenn-Che 198
Wang, Ming-Chuan 291
Wang, Li-Wen 173
Wei, Daw-Shyng 1
Wu, Chi-Guang 359
Wu, Jiunn-Tzong 121
Yang, Hai-Nin 193
Yang, T. Y. Aleck 209
Yang, Yuen-Po 256
Yang, Chi-Ming 83
Yeh, Kai-Wun 1, 183
Yen, Hsin-Fu 198

Index to Subjects

Anatomy

Kuo-Huang, L. L. and L. F. Hung. 1995. The Formation of Lenticels on the Branches of *Ficus microcarpa* L. f. *Taiwania* **40**(2): 139-150.

Biochemistry

Hsu, J. C., Y. K. Lu and C. M. Yang. 1995. Analysis on Pigments in the Exocarp of Orange Fruit. *Taiwania* **40**(1): 83-90.

Liou, Y. L., Y. D. Liao, Y. M. Chen, C. Y. Lin and K. W. Yeh. 1995. Biochemical Properties of Sweet Potato RNases. *Taiwania* **40**(2): 183-191.

Wang, M. C., S. C. Tso and Y. R. Chen. 1995. Inhibitory Effect of Sodium Floride on Activity of Acid Phosphatase in Rice Plants. *Taiwania* **40**(3): 291-298.

Embryology

Ashrafunnisa and T. Pullaiah. 1995. Embryology of *Indigofera* (Fabaceae). *Taiwania* **40**(4): 391-402.

Molecular Biology

Jeng, S. T. 1995. The Effects of Salts and Nucleoside Triphosphates on the Transcription Termination of Bacteriophage RNA Polymerases. *Taiwania* **40**(4): 403-418.

Pan, S. M., G. B. Hwang, D. S. Wei and K. W. Yeh 1995. Isolation and Characterization of a cDNA for Cu Zn-Superoxide Dismutase of Rice. *Taiwania* **40**(1): 1-12.

Mycology

Chen, K. Y. and Z. C. Chen. 1995. Three New Records of Thermophilic Fungi from Taiwan. *Taiwania* **40**(2): 127-137.

Chung, C. H. 1995. Notes on Some Foliicolous Lichenized Fungi from Taiwan. *Taiwania* **40**(2): 151-155.

Chung, C. H. and C. H. Liu. 1995. *Didymium lenticulare* Thind & Lakhanpal (Physarales, Myxomycetes) — New to Taiwan. *Taiwania* **40**(4): 375-380.

Wu, C. G. and J. W. Kimbrough. 1995. Septal Structures in Selected Genera of *Aleurieae*, *Lachneae* and *Otideae* (Humariaceae). *Taiwania* **40**(4): 359-374.

Palynology

Hsiao, L. C. and C. S. Kuoh. 1995. Pollen Morphology of the *Ipomoea* (Convolvulaceae) in Taiwan. *Taiwania* **40**(3): 299-316.

Shaw, C. L. 1995. Palynomorphs of Oligo-Miocene in Taiwan. *Taiwania* **40**(1): 57-68.

Shaw, C. L. and T. C. Huang. 1995. Pollen Analysis of the Cretaceous Sediments in Taiwan. *Taiwania* **40**(3): 317-352.

Phycology

- Wu, J. T. and C. E. Hsieh. 1995. A Newly Recorded *Pediastrum* Species in Taiwan. *Taiwania* **40**(2): 121-126.
- Yang, H. N. and Y. M. Chiang. 1995. A New Variety of *Sargassum* (Phaeophyta) in Taiwan. *Taiwania* **40**(3): 193-197.

Physiology

- Chen, P. H. and Warren H. J. Kuo. 1995. Germination Conditions for the Non-dormant Seeds of *Monochoria vaginalis*. *Taiwania* **40**(4): 419-432.
- Hsing, Y. I. C., K. L. Hsieh, Y. C. Huang and J. S. Hsieh. 1995. Premature Drying and Germination in Wild Soybean Seeds. *Taiwania* **40**(1): 73-81.
- Huang, C. Y. and Y. M. Chen. 1995. Role of Glutathione Reductase and Related Enzymes in Salt-tolerant Mechanism of Soybean Plants Grown under Salt-stress Condition. *Taiwania* **40**(1): 21-34.
- Tsai, C. Y. and D. M. Huber. 1995. Effects of Potassium on the Movement of Amino Acids and Sugars into Maize Endosperms. *Taiwania* **40**(3): 202-208.
- Tsay, C. C., L. W. Wang and Y. R. Chen. 1995. Plant in Response to Copper Toxicity. *Taiwania* **40**(2): 173-181.

Taxonomy

- Chen, C. J. 1995. A New Record of *Dunbaria villosa* (Thunb.) Makino (Leguminosae) for Taiwan. *Taiwania* **40**(1): 69-72.
- Hsieh, C. F., T. H. Hsieh and I. L. Lai. 1995. *Epirixanthes elongata* Bl.-- a New Record to the Flora of Taiwan. *Taiwania* **40**(4): 381-384.
- Hsieh, T. H. and T. C. Huang. 1995. Notes on the Flora of Taiwan (19)-- *Paraphlomis formosana* (Hay.) Hsieh & Huang, *comb. nov.* (Lamiaceae). *Taiwania* **40**(1): 13-19.
- Hsieh, T. H. and T. C. Huang. 1995. Notes on the Flora oof Taiwan (20)-- *Scutellaria* (Lamiaceae) in Taiwan. *Taiwania* **40**(1): 35-56.
- Hsieh, T. H. and T. C. Huang. 1995. Notes on the Flora of Taiwan (22) -- The Genus *Ajuga* L. (Lamiaceae). *Taiwania* **40**(2): 157-172.
- Huang, S. F., T. H. Hsieh. and T. C. Huang. 1995. Notes on the Flora of Taiwan (21) -- The Genus *Asarum* L. (Aristolochiaceae). *Taiwania* **40**(2): 91-120.
- Huang, S. F., T. H. Hsieh and T. C. Huang. 1995. Notes on the Genus *Arabis* L. (Brassicaceae) in Taiwan . *Taiwania* **40**(4): 385-390.
- Lin, T. T. and S. Y. Lu. 1995. *Peperomia sui* and *Piper taiwanense*, New Species of Piperaceae from Taiwan. *Taiwania* **40**(4): 353-358.
- Shih, B. L., Y. P. Yang and H. Y. Liu. 1995. A Revision on *Pilea*, *Lecanthus*, and *Procris* (Urticaceae) of Taiwan. *Taiwania* **40**(3): 256-290.
- Wang, J. C. and H. F. Yen. 1995. *Merremia vitifolia* (Burm. f.) Hall. f. (Convolvulaceae), a New Rrecord for Taiwan. *Taiwania* **40**(3): 198-201.
- Yang, T. Y. Aleck and T. C. Huang. 1995. Additional Remarks of Ranunculaceae in Taiwan (5)— The genus *Clematis* L. *Taiwania* **40**(3): 209-255.

Index to Scientific Names (Extant)

- Acer 59
ACERACEAE 59
Acervus 371
 epispasticus 368
 melaloma 368
Achudemia japonica 266
Acuba chinensis 382
Agrostis gigantea 180
Ajuga 157, 158
 decumbens 157-159, 161-163, 165, 168, 172
 dictyocarpa 157-162, 164, 165, 168, 172
 formosana 13, 15, 17, 19
 nipponensis 157, 158, 160-162, 164, 165, 167,
 168, 172
 pygmaea 157-162, 165, 166, 168, 169, 172
 taiwanensis 157-162, 166, 170, 172
ALETE 319
Aleuria 370, 374
 aurantia 360-362, 366, 371
 cestrica 366
Aleurieae 359, 361
Alisma plantago 426
Anemia 323
ANGIOSPERMAE 319
Anthracobia 370, 371
 muelleri 360-362, 368, 371
APOCYNACEAE 314
AQUIFOLIACEAE 60
Arabidopsis thaliana 11, 83, 85, 183, 190
Arabis 385, 386, 389, 390
 alpina 385-387, 390
 formosana 386, 387
 gemmifera 385-387, 390
 halleri 387
 kelunginsularis 385, 389
 lithophila 385, 389
 lyrata 385, 386, 388-390
 morrisonensis 385, 388
 senanensis 387
 stellari 385, 386, 388, 390
 taraxacifolia 385, 388
ARISTOLOCHIACEAE 91, 107, 108
Asarum 91, 97-99, 107, 109, 111, 113, 114, 120
 albomaculatum 92, 93, 95, 103, 105
 caudigerum 91-97, 99, 100, 109, 112-114, 120
 crassusepalum 91, 92, 94-96, 98-100, 111-115,
 120
 epigynum 91, 92, 94-97, 99-101, 108, 109, 112-
 114, 116, 120
 grandiflorum 92, 102
 grandiflorum var. *colocasiifolium* 92
 hayatanum 93, 95, 97, 102, 103
 hypogynum 91-99, 102, 104, 105, 109, 112-114,
 117, 120
 infrapurpleum 92, 95, 97, 103, 105
 leptophyllum 92, 93, 95, 97, 100
 leptophyllum var. *triangulare* 92
 macranthum 91-99, 103, 105-107, 110-114, 118,
 120
 taipingshanianum 91, 92, 94-99, 101, 106, 111-
 114, 119, 120
 taitonense 92, 93, 95, 97, 103, 105
 thunbergii 91, 103
 taiwanense 92, 101
ASCOBOLACEAE 374
Asiasarum 97
Atylosia subrhombaea 70
Avena fatus 297
Bischofia javanica 200
Boehmeria blinii 283
Brachiaria humidicola 430
BRASSICACEAE 385
Bromus mollis 430
 sterilis 430
Caloscypha 370, 371
 fulgens 360, 361, 368
Capsella bursa-pastoris 430
Capsicum annuum 149
Cardamine gemmifera 387
Cheilymenia fulgens 362, 371
Chrysosporium fergusii 130, 136
 thermophilum 136
Citrus 83
 ponki 84
Clematis 209-211, 253-255
 acuminata var. *leschenaultiana* 227
 akoensis 210, 212, 213
 alsomitrifolia 249, 252
 apiifolia 222
 austro-taiwanensis 239, 241
 bartlettii 235
 benthamiana 214
 caesariata 227
 chinensis 211, 214-216, 239
 chinensis var. *uncinata* 248
 crassifolia 210, 216, 217
 dolichosepala 211
 drakeana 248
 floribunda 249
 formosana 210, 218, 220, 239
 fulva 227
 gagnepainiana 248

- gouriana* 222, 223
gouriana subsp. *lishanensis* 211, 219, 221
grata 209, 210, 222, 254
grata var. *ryukiuensis* 222
hakkuensis 228
hayatae 224
henryi 223
henryi var. *henryi* 210, 224
henryi var. *leptophylla* 224
henryi var. *morii* 210, 224, 225
henryi var. *ternata* 224
heracleifolia var. *taiwanica* 238
insulari-alpina 233
lasiandra 210, 225
leiocarpa 248
leschenaultiana 210
leschenaultiana var. *angustifolia* 227
leschenaultiana var. *fulva* 227
leschenaultiana var. *subglabrifolia* 227
longisepala 242
matsudai 235
meyeniana 210, 228-232
minor 214
montana 210, 233, 234
okinawensis 252-254
okinawensis var. *trichocarpa* 252
ovatifolia 248
owatarii 211
paniculata 245
parviloba subsp. *bartlettii* 209, 210, 235-239,
 255
parviloba subsp. *parviloba* 238
psilandra 209, 238
recta 245
sasaki 219
sinensis 214
slenden 227
taiwaniana 220, 222
tamurae 209, 211, 239-241, 255
tashiroi 210, 242-244
terniflora var. *garanbiensis* 211, 239, 245-247
terniflora var. *robusta* 245
tozanensis 242
trichocarpa 252, 253
tsugetorum 209, 247
uncinata 248, 252, 253
uncinata var. *biternana* 249
uncinata var. *coriacea* 249
uncinata var. *floribunda* 248
uncinata var. *okinawensis* 211, 252, 253
uncinata var. *ovatifolia* 248, 252
uncinata var. *taitongensis* 249
uncinata var. *uncinata* 211, 249-251, 253
yingtzulinia 242
CONVOLVULACEAE 299, 312- 314
Corynascus thermophilus 136
Cosmos sulfureus 174, 175
Cyamopsis 391
 desmodium 401
psoralioides 401
CYATHEACEAE 332, 333, 348
Cynodon dactylon 426
Cyperus difformis 430
Cyrtococcum patens 430
Dacucus carota 79
Dendrocnide 288
Deschampsia caespitosa 178
Dianthus barbatus 173, 181
Didymium clavus 376
 lenticulare 375-380
squamulosum 375-377
Dimerella epiphylla 151-153, 155
Diospyros eriantha 200
Dunbaria 69
 merrillii 69
rotundifolia 69
subrhombea 70
villosa 69, 70, 71
Echinochloa 426
 colona 419
glabrescens 430
turnerana 426, 430
Epirixanthes 381
 elongata 381-384
Epirrhizanthes 383
Eragrostis tef 430
Erythrina caffra 426
Escherichia coli 404, 407, 410, 412-417
Euonymus alatus 148
FABACEAE 391
Fagus sylvatica 149
Ficus microcarpa 139, 140, 142, 146, 148
wightiana 148
Ganoderma tsugae 11
Geopyxis 370-372
 carbonaria 371, 373
Geotaenium epigynum 93, 101
Glycine 76, 78, 81
 max 73, 76, 78, 80, 81
soja 73, 74, 76, 78, 81
tabacina 73, 74, 76, 78, 81
tomentella 73, 74, 78, 81
villosa 70
Gyromitra 370, 371, 373
Helvella 370, 371, 373
HELVELLACEAE 374
Heterotropa 97, 107, 108
 albomaculata 93, 103
hayatana 93, 102
hypogyna 93, 103

- infrapurpurea* 103
- macrantha* 93, 103
- taitonesis* 93, 103
- Hexastylis* 97
- Histiopteris incisa* 175
- HUMARIACEAE** 359, 371, 374
- Humicola grisea* 127, 130
 - insolens* 127-130, 136, 137
- HYDROCARYACEAE** 62, 63
- Ilex* 61
 - asprella* 61, 67
 - cochininchinensis* 382
 - kusanoi* 61, 67
 - maximowicziana* 382
- Indigofera* 391, 398, 400
 - australis* 400
 - cordifolia* 391, 393, 395, 396, 398, 400, 402
 - ennaephylla* 391, 400, 401
 - linifolia* 391, 393, 394, 396, 398-400, 402
 - oblongifolia* 400, 401
 - pulchella* 397, 400, 401
 - tinctoria* 400, 401
- Ipomoea* 299-301, 312, 314
 - acuminata* 299, 301-303, 311, 312
 - alba* 302, 304, 307, 311
 - aquatica* 302, 303, 311
 - batatas* 183, 184, 302, 304, 305, 311
 - cairica* 302, 308, 310
 - crassicaulis* 302, 308, 310, 312
 - gracilis* 302, 306, 307, 312
 - hederacea* 302, 304, 311
 - nil* 301, 302, 311
 - obscura* 299, 302, 308, 309, 312
 - pes-caprae* subsp. *brasiliensis* 302, 308, 309, 312
 - pes-tigridis* 302, 311, 312, 313
 - quamoclit* 302, 305, 311
 - sinensis* 302, 311-313
 - sinensis* cv. *aurea-reticulata* 302, 311, 313
 - stolonifera* 302, 306, 307, 312
 - triloba* 302, 306, 309, 312
 - tuba* 302, 308, 310, 312
- Japonasarum* 97
- Juniperus squamata* 387
- Kandelia candel* 148
- Lachneae* 359, 362, 374
- Lagerstroemia subcostata* 200
- LAMIACEAE** 13, 35, 157
- Lamium fomosanum* 15
 - taiwanense* 15, 17
- Laportea* 288
- Lecanthus* 256, 284
 - peduncularis* 256, 284, 285
 - sasakii* 256, 284
 - taiwanensis* 284, 286
- Leersia oryzoides* 426
- Leguminosae* 401
- Lespedeza* 401
- Leucoscypha* 368
 - hetieri* 366
- Machilus japonica* 200
- Mangifera indica* 148, 149
- Medicago sativa* 11
- Melampsora lini* 371, 373
- Melilotus alba* 90
- Merremia* 198, 200
 - vitifolia* 198, 199
- Miscanthus floridulus* 12, 173, 175, 181
- Monochoria* 424, 428
 - korsakowii* 431
 - vaginalis* 419-421, 423-431
- MONOLETE** 320
- Myceliophthora* 135
 - fergusii* 127, 131-133, 135, 137
 - hinnulea* 127, 133-135, 137
 - thermophila* 133, 135
- Mycolachnea* 368
 - hemisphaerica* 360, 362, 364, 366, 371
- Nelumbo nucifera* 149
- Nicotiana plumbaginifolia* 10
- Nymphaea tetragona* 149
- Octospora* 370, 371
 - euchroa* 360-362, 366, 368, 371
- Oryza sativa* 2, 292
- Otidea* 359, 370, 371, 374
 - alutacea* 360, 362, 366, 368, 371
 - onotica* 360, 362, 366, 368, 371
- Panicum maximum* 430
- Paraphlomis formosana* 13, 15, 18
 - gracilis* 13, 15, 19
 - parviflora* 13, 15, 17, 19
- Pediastrum* 121, 124
 - asymmetricum* 121-126
 - boryanum* 122
 - duplex* 122, 123
 - simplex* 121-123
 - tetras* 122
 - hortorum* 149
 - sui* 353-355, 358
- Phaseolus vulgaris* 73
- Pilea* 256, 257, 288
 - angulata* 257-259, 283
 - anisophylla* 270
 - aquarum* subsp. *brevicornuta* 258, 260, 261
 - brevicornuta* 260
 - brevicornuta* f. *laxiflora* 260
 - brevicornuta* f. *magnifolia* 260
 - distachys* 279
 - elliptifolia* 256, 257, 262, 263
 - funkikensis* 257, 264, 265, 279
 - funkikensis* var. *rotundinucula* 279

- funkikensis* var. *somai* 281
japonica 256, 257, 266, 267
kankaoensis 274, 277
matsudai 258, 268, 269
melastomoides 258, 270, 271
microphylla 256, 257, 272
minor 260
minute-pilosa 274
miyakei 258, 260
mongolica 260, 268
nokozanensis 258
nokozanensis var. *minor* 258, 260
ovatinucula 270
peploides 257, 274, 275
peploides var. *major* 256
peploides var. *peploides* 273
petiolaris 258
plataniflora 257, 274, 275
pumila 256, 257, 277, 278
rotundinucula 258, 266, 279, 280, 281
somai 258, 281, 282
stipulosa 258
swinglei 260
taitoensis 274, 277
trinervia 270
wattersii 256, 283, 288
Piper betle L. 357
Piper kadsura 357
Piper taiwanense 353, 356-358
PIPERACEAE 353
Pisum sativum 31, 207
POLYGALACEAE 381-384
Procris 256, 286
 laevigata 286, 287
 wightiana 286
Psychotria rubra 200
PTERIDOPHYTA 319
Pteris vitlata 175
Pulvinula 372
 convexella 360-362, 370, 371
Pyrus malus 148
Ranunculaceae 209, 212, 215, 217, 229, 234, 236, 240, 243, 246, 250, 253, 254, 255
Reseda luteola 428
Rhynchosia capitata 400
Salmonella 417
 typhimurium 403
Salomonia 381
Sambucus nigra 148
Sargassum 193, 196
 polycystum 193, 194, 195, 196, 197
Scrophularia nodosa 428
Scutellaria 35, 38, 55
 barbata 36-39, 41, 43-45
 indica 36-39, 41, 43, 44, 46-48
javanica 48, 52
lilungense 48, 52
luzonica 48, 52
playfairi 36-39, 42-44, 48-50, 52
procumbens 48, 52
rivularis 44
taiwanensis 35-38, 40, 42-44, 46, 48, 49, 51, 52
tarokoensis 35, 52
tashiroi 35-38, 40-44, 46-49, 52, 53
Slyssum 297
Sorghum vulgare 90
Sphaerosporella 370, 371
 brunnea 361, 362, 364, 368, 371
Spinacia oleracea 12
Spirodela oligorrhiza 180
Sporopodium phyllocharis 151, 152, 153, 155
Sporormia australis 371, 372
Sporothrix schenckii 296
Stachytarpheta jamaicensi 200
Syzygium kusukusense 382
Tephrosia 400
 villosa 400
Teucrium scorodonia 428
Thielavia heterothallica 135, 136
Thypha latifolia 426, 428
Trapa 63
 Trapa natans 426
Trichophaea 368, 370
 abundans 361, 362, 364, 366, 368, 371
 paludosa 361, 362, 364, 366-368, 371
Trichothelium alboatrum 151, 152, 153, 155
Trifolium 397, 402
 vulgare 73
TRILETES 320
Uraria 400
 angulata 258
 melastomoides 270
 petiolaris 258
 pumila 277
URTICACEAE 256, 288, 289
Zea mays 73, 202
Zinnia elegans 174, 175
Zizania aquatica 426

Index to Scientific Names (Fossil)

- Aceripollis taiwanensis* 59
Aequitriradites speciosus 320, 334
 spinulosus var. *taiwanensis* 320, 334, 338, 342,
 343, 346
Araucariacites 318, 325
 australis 318, 324, 327, 330, 331, 334, 338, 343,
 346, 350
 taiwanensis 318, 324, 333, 334, 343, 346
Bacuinaperturites taiwanensis 320, 327, 338, 350
Biretisporites 320, 325, 326, 329, 332, 337, 341,
 345, 349
 crassimagosus 320, 324, 327, 330, 331, 333,
 334, 338, 343, 346, 350
 cretaceous 320, 324, 327, 333, 334, 338, 343,
 346, 350
 magnus 320, 327, 330, 334, 338, 343, 347, 350
 parvus 327, 331, 333, 339, 347, 350
 taiwanensis 320, 327
 vulgaris 320, 324, 327, 330, 331, 339, 347
Callialasporites striatus 318, 338
 taiwanensis 318, 334, 338
Camerosporites formosus 319, 324, 346
 taiwanensis 318, 324, 327
 tuberous 319, 324, 327, 334, 343, 346, 350
Canaliculatisporites taiwanensis 320, 334, 339
Cibotiumspora taiwaniana 320, 327, 334, 339, 343
Cicatricosisporites 320, 323, 325, 326, 329, 336,
 340, 341, 342, 345, 349
 communis 321, 324, 335, 339, 343, 347
 minor 320, 324, 327, 330, 331, 333, 335, 339,
 343, 347
 mundulus 321, 327, 335, 347
 nankingensis 320
 rarustriatus 321, 324, 327, 331, 335, 339, 343,
 347, 350
 tersus 320, 324, 327, 330, 331, 333, 339, 343
 346
 taiwanensis 320, 324, 327, 330, 334, 335, 338,
 339, 343
 vulgaris 321, 324, 327, 330, 331, 335, 339, 346,
 350
Classopollis 319, 323, 326, 332, 333, 340, 342,
 348, 351, 352
 annulatus 319, 324, 325, 327, 329-331, 333, 334,
 337, 338, 341, 343, 345, 346, 349, 350
 classeoides 319, 324-327, 331, 334, 338, 343,
 346, 350
 minor 326
 parvus 319, 324-331, 333, 334, 337, 338, 341,
 343, 345, 346, 349, 350
Concavissimisporites 321, 349
 lepidus 321, 327, 335, 343, 347
 speciosus 321, 327, 335, 343, 347
 taiwanensis 321, 327, 335, 339, 343, 347
Confertisulcites 319, 323, 326, 332, 342
 cretaceous 319, 327, 334, 338
 formosus 319, 324, 334, 338
Convolutispora 321
 formosana 321, 339
Corrugatisporites 321, 329, 337, 341, 345, 349
 formatus 321, 327, 339, 343, 347
 taiwanensis 321, 328, 335, 339, 344, 347
Costatisporites 321
 taiwanensis 321, 328, 335, 344
Crybelosporites 321
 taiwanensis 321, 335, 339
Cyatheidites 321, 325, 332, 340-342, 345, 349
 crassimarginatus 321, 335, 339
 formosus 321, 328-330, 335, 339, 344, 347, 350
 minus 321, 324, 328, 335, 339, 344, 347, 350
 mundulus 321, 324, 328, 331, 335, 339, 344,
 347, 350
 orientalis 321, 339, 347
 parvus 321, 324, 328, 335, 339, 344, 347, 350
 taiwanensis 321, 335, 339, 344, 347, 350
Cycadopites 319, 325, 329, 337, 341, 345, 349
 attenuatus 327, 338, 346,
 lanceolatus 319, 334, 338, 343
 lanceolatus var. *scabrinatus* 319, 343, 346
 ovalis 319, 338, 346
 yunlinensis 319, 327, 343, 346
Deltoidospora 321, 329, 337, 341, 345
 communis 321, 328, 335, 339
 parvus 321, 328, 331, 335, 339, 344, 347
Echinatiaperturites 320
 spinulosus 320, 338, 346
 taiwanensis 320, 335, 339, 347
Echinatisporis 321
 taiwanensis 321, 334
Ephedripites 319, 324, 327, 331, 343, 346, 350
 chinensis 319
 formosensis 319
 mundulus 319
 speciosus 319
 yunlinensis 319
Eucommidites 319
 formosus 319, 327, 338
Gemmatriletes 321
 crassimarginatus 321, 339
 speciosus 321, 335
Gleicheniidites 321
 orientalis 321, 328, 335, 339, 347

- peikangensis* 321, 324, 328, 339, 344, 347
- Granulatisporites* 321
parvus 321, 328, 339
peikangensis 321, 328, 344, 347
taiwanensis 321, 328, 339, 344
- Huangasporites* 320
genus 351
parvus 320, 334, 338
taiwanensis 320, 334, 350
- Hymenoreticulispores* 321
taiwanensis 321, 335, 347
- Ilexpollenites* 60, 67
iliacus 60
ssuhuensis 61, 67
taiwanensis 61, 67
- Impardecispora* 321
apiverrucata var. *taiwaniana* 322, 335, 339, 342, 347
determinatus 322, 335, 344
- Kewanaesporites* 321, 329, 337, 341
formosus 321, 328, 339
rarigranulatus 321, 340
rotundus 321, 335, 340
taiwanensis 321, 328, 335, 340
- Klukisporites* 321, 323
speciosus 321, 324, 328-331, 336, 340, 344, 348
subrotundus 321, 328, 336
taiwanensis 321, 328-330, 336, 344, 348
- Laevigatosporites* 320, 325, 329, 337, 341, 345, 349
gracilis 320, 324, 327, 334, 338, 342, 343, 346, 350
irregularis 320, 331, 334, 343, 346
minor 320, 324, 327, 334, 338, 343, 346, 350
nudum 320, 338, 346
sinensis 320, 324, 327, 338, 346
- Leiotriletes* 321, 325, 328, 337, 341, 345, 349
communis 321, 324, 333, 335, 340, 344, 347, 350
menbranus 321, 328, 335, 340, 344, 347
obovatus 321, 328, 331, 335, 340, 344, 347
rotundus 321, 328, 335, 340, 344, 348, 350
sphaerotriangulus 321, 328, 330, 333, 335, 344
taiwanensis 321, 328, 344
wolffi 321, 336, 344, 350
- Leptolepidites* 321, 340
taiwanensis 321
- Membranosphaera* 320
rugosa 320
taiwaniana 320, 327, 350
- Osmundacidites* 321
orientalis 321, 328, 336, 340, 344, 348
- Pilosporites* 321
parvus 321, 335, 340
paucipilosus 321, 336
- taiwanensis* 321, 336
triplanatus 321
verus var. *formosensis* 321, 336, 342
- Pityosporites* 319, 327
longicorpus 319, 327
vulgaris 319, 334, 350
- Praemerosporites* 321
taiwanensis 321, 336
- Rarituberisporites* 321
taiwanensis 321, 336
- Retitriletes* 321
aerolatus 321, 340, 344, 348
cretaceous 321, 328, 336
- Rubinella* 320
taiwanensis 320, 327, 334, 338, 348
- Scabratispores* 321
taiwanensis 321, 336, 340, 350
- Sporotrapoidites* 62, 68
erdtmanni 62, 68
illingensis 62
minor 62, 68
- Staplinisporites* 321
taiwanensis 321, 328, 336, 340
- Striatopollis* 59, 65
sarstedtensis 59, 65
taiwanensis 59, 65
- Striaticolporites* 59, 66
pimulius 60
ssuhuensis 60, 66
taiwanensis 60, 66
- Taxodiaceapollenites* 319
taiwanensis 319, 327, 331, 334, 343, 346, 350
- Triangulatisporites* 321
taiwanensis 321, 336, 348
- Triassisporis* 321
taiwaniana 321
- Tricolpopollenites* 319, 323, 325, 326, 329, 332, 337, 341, 342, 345, 349
houpiensis 319, 333
lepidus 319
medieus 319, 324, 327, 331, 334, 343, 346
mundulus 319, 324, 334
oblongs 319, 324, 327, 331, 333, 334, 343, 346
orientalis 319, 346
peikangensis 319, 327, 338, 343, 346
perprolatus 319, 338
- Trilobosporites* 321,
deltoidus 321, 336
formosensis 321, 336
rotundus 321, 328, 336
- Triplanospores* 321, 324, 326, 329, 332, 337, 341, 342, 345, 349
cretaceous 321, 324, 328, 330, 333, 336, 340, 344, 348, 350
figuratus 321, 328, 336, 340, 344, 348

- formosus 321, 336
 minor 321, 324, 328, 331, 333, 336, 340, 344,
 348, 350
 taiwanensis 324, 328, 330, 331, 333, 336, 340,
 344, 348
 tuberosus 321, 336, 348
Tuberositrites 321
 formosensis 321, 348
Undulatisporites parvirotundus 321, 324, 340
Verrucosporites 321, 324
 cretaceous 321, 336
Vitreisporites 319, 342
 mediocris 319, 338, 346
 pallidas 319, 327, 338, 346, 350
Zonalapollenites 319
 peikangensis 319